

Date

Name

Client

Project name

Quote#


Type/Quantity

22/06/2021 11:05:11

Specification Sheet

INFORM R1 DOWN 92748 26811 9220

[Weblink](#)



Available colors:

BLACK-BLACK (26811 9220 B-B)
BLACK-GOLD MATT (26811 9220 B-MMAT)
WHITE-BLACK (26811 9220 W-B)
WHITE-WHITE (26811 9220 W-W)
FLEMISH GOLD-BLACK (26811 9220 FG-B)

LED CLUSTER 23,8W / CRI>90 / 2700K / 3546lm
96 x REFLECTOR WFL-71°
EXCL.LED POWER SUPPLY 700mA-DC

LED Technics: Light source: 3546 lm // 23 W // 149 lm/W
Luminaire: 2961 lm // 27 W // 108 lm/W

Class: III

Weight: 1.8 KG
Protection level: IP20
Minimum distance: n.a.

Options: SUSPENSION SET 30 2x0,75 1,6m
CABLE BASE R / S
COVERSET R 62-90-100 / S 62-80-90



Requirements: LED POWER SUPPLY 700mA-DC DIM

For detailed installation instructions, please consult the manual. [26811_XXXX_HAND.pdf](#)

INFORM R1 DOWN 92748
26811 9220







Related references

LED POWER SUPPLIES

Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM5 300 90 68 110-240V / 0/50-60Hz Number of luminaires: 1	Weblink / Specs sheet  LED POWER SUPPLY MULTI-POWER DIM7 300 90 64 110-240V / 0/50-60Hz Number of luminaires: 1
--	--



Related references

COVERSETS

Weblink / Specs sheet  COVERSET R 100 204 00 100	Weblink / Specs sheet  COVERSET R 62 204 00 62	Weblink / Specs sheet  COVERSET R 90 204 00 90	Weblink / Specs sheet  COVERSET S 62 204 62 62
Weblink / Specs sheet  COVERSET S 80 204 80 80	Weblink / Specs sheet  COVERSET S 90 204 90 90		

Related references


SUSPENSION PARTS

Weblink / Specs sheet  CABLE BASE R 203 99 55	Weblink / Specs sheet  CABLE BASE S 203 99 56	Weblink / Specs sheet  SUSPENSION SET 30 2x0,75 1,6m 15225 0300
--	--	--

Related references

ELECTRIC CONNECTION PARTS

[Weblink / Specsheet](#)



Ø49
CONNECTION ST
15225 0360